| (2 |
|-----|
| ı,D |
| ľŌ |
| Ü |
| ĬŪ |
| Ü |
| (n |
| |
| E) |
| O |
| ٢,٠ |
| |
| Ų |
| |
| ķ≟ |

ABSTRACT OF THE DISCLOSURE

1

| 2 | |
|----|--|
| 3 | A preferred apparatus for delivering an intravascular drug |
| 4 | such as a sclerosing agent (or a microfoam sclerosing agent) to a |
| 5 | varicose vein includes a catheter having three concentric tubes. |
| 6 | The innermost tube has a guide wire lumen and an inflation lumen. |
| 7 | The distal end of the innermost tube has an integral inflatable |
| 8 | occlusion balloon in fluid communication with the inflation lumen. |
| 9 | The intermediate tube has a lumen through which the innermost tube |
| 10 | extends. The distal end of the intermediate tube has a self- |
| 11 | expanding balloon with a plurality of fluid pores in fluid |
| 12 | communication with the intermediate tube lumen. The outer tube |
| 13 | has a lumen through which the intermediate tube extends. |
| 14 | Sclerosing agent is dispensed through the intermediate tube to |
| 15 | pores located at the distal end of the intermediate tube or in the |
| 16 | self-expanding balloon. Veins are sclerosed as the self-expanding |
| 17 | balloon is pulled through and ultimately out of the vein. |

- 42 -